


Long Range Twisted Pair Transmission System – Active Series



ITEM NO.: HTA-TTA111VT-1



Features:

Features:


- Transmit a full motion color or monochrome video signal, color range 1500 meters, B/W video signal up to 2400 meters.
- Three position range switch for gain select on Transmitter HTA-TTA111VT.
- Five position distance range switch on Receiver HTA-TTA111VR.
- System is integrated with alarm sensor (PIR, Magnetic, etc.) or data (Pan, Tilt, Zoom).

- Built in transient protection and ground lifting, damaging voltage spike problems are eliminated.
 - Red LED: Power on / off.
 - Green LED: Video receive/loss.
 - Up to multi pieces HTA-TTA111VT transmitter can work with 4 channel Hub HTA-TTA414VR or 1U rack mounting HTA-TPA008, HTA-TPA016 receiver panel.
- Power supply included

FCC



TICK



Specification:

| ITEM NO. | HTA-TTA111VT |
|-------------------------|----------------------------------|
| VIDEO INPUT | 1 Vp-p , 75 Ohms (BNC Connector) |
| DC INPUT | DC 12V |
| POWER CONSUMPTION | 40mA(max) |
| DIMENSIONS W x H x D mm | 49x42x45 |

| ITEM NO. | HTA-TTA111VR |
|----------------------|--|
| VIDEO OUTPUT | 1Vp-p , 75 Ohms (BNC Connector) |
| DC INPUT | DC 12V |
| POWER CONSUMPTION | 40mA(max) |
| VIDEO GAIN ADJUSTING | Press 1 0~300M Press 5 1200~1500M |
| | Press 2 300~600M |
| | Press 3 600~900M |

| | | |
|-------------------------|--------------------------------|--|
| | Press 4 900~1200M | |
| RECOMMENDED CABLE | CAT-5 UTP Cable 4 pair (24AWG) | |
| DIMENISONS W x H x D mm | 49x42x45 | |

Remark: HTA-TTA111AV = HTA-TTA111AVT+ HTA-TTA111AVR HTA-TTA111V = HTA-TTA111VT+ HTA-TTA111VR